



Astroflame (Fireseals) LTD : Unit 8 , I.O Centre Stephenson Road : Segensworth : Fareham : PO15 5RU

Tel - 01329 844500 F - 01329 844600 E - sales@astroflame.com W - www.astroflame.com



# Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Product Name: Astro CT Cable Tray Sleeve

**Product Code**: AFCT

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture : Expands when heated to act as a fire stop. Main application is in

fire protection.

# 1.3. Details of the supplier of the safety data sheet

Company Name: Astroflame (Fireseals) LTD

Unit 8 , I.O Centre Stephenson Road Segensworth Fareham PO15 5RU

United Kingdom

**Tel Number**: (0) 44 1329 844500

**Fax Number :** (0) 44 1329 844600

**Email** : sales@astroflame.com

# 1.4. Emergency telephone number

# Section 2: Classification of the substance or mixture

# 2.1. Classification of the substance or mixture

**Classification according to Regulation :** The product is not classified according to CLP regulation.

(EC) No 1272/2008 [CLP/GHS]

**Classification according to Directive**: Not classified.

67/548/EEC or 1999/45/EC



#### 2.2. Label elements

# Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

: The product has not been classified and marked in accordance with Regulation (EC) No 1272/2008.

# Supplemental hazard information (EU)

: These products contain low bio-persistence mineral fibres

These products are not hazardous in the form in which they are shipped by the manufacturer.

However, they may produce low levels of fibre-containing dust as a result of downstream activities such as cutting.

#### 2.3. Other hazards

#### Other Hazards

 Mild mechanical irritation to skin, eyes and upper respiratory system may result from exposure, however any effects are usually temporary.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

**Mixtures** 

: These products are made from varying amounts of low bio-persistence mineral fibres, organic fibres and binders.

# Section 4: First aid measures

#### **4.1.** Description of first aid measures

General : The main hazards arise from downstream activities such as

cutting.

**Eye contact** : In case of eye contact, irrigate abundantly with water. Seek

medical attention.

**Inhalation** : Avoid breathing dust. If breathing difficulties are experienced

whilst cutting, remove to fresh air or a ventilated area and seek

medical advice.

**Skin contact** : If possible, vacuum excessive dust from clothes as well as skin

and hair. Wash and clean contaminated skin with soap and clean

water. Clothes should be washed professionally.

**Ingestion** : If small quantities are ingested, seek medical advice.

**Self-Protection for First Aider** : Wear suitable personal protective equipment to avoid inhaling

dust.

T - 01329 844500 F - 01329 844600 Page 2 W - www.astroflame.com E - sales@astroflame.com



#### 4.2. Most important symptons and effects, both acute and delayed

**Symptoms** : No symptoms expected. **Effects** : No effects expected.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for Doctor : None required.

Special Treatment : None required.

# Section 5: Fire-Fighting measures

# 5.1. Extinguishing media

Suitable extinguishing media : Not flammable Unsuitable extinguishing media : Not applicable.

# **5.2**. Special hazards arising from the substance or mixture

**Hazardous combustion products**: None.

**5.3**. Advice for fire - fighters

Advice for fire - fighters : None.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Avoid inhaling dust.

**Protective equipment** : Protective clothing should be provided for operators along with

protective equipment. (shown in Section 8)

Emergency procedures : None required.

For emergency responders : Avoid inhaling dust

**Personal protective equipment**: Protective clothing should be provided along with protective

equipment (shown in section 8)

# 6.2. Environmental precautions

**Environmental**: Remove dust by using a vacuum cleaner fitted with 'H' type

filters. Where vacuum cleaning is not possible, dampen down dust and collect whilst still damp. Suitable bags are required for

disposal.

T - 01329 844500 F - 01329 844600 Page 3 W - www.astroflame.com E - sales@astroflame.com



#### 6.3. Methods and materials for containment and cleaning up

For containment : Dampen down any dust spillages as soon as possible and collect

whilst still damp.

For cleaning up : Remove dust using vacuum with 'H' type filters and suitable bags

for containment.

Dust should be packaged into impermeable plastic sacks which

should be sealed. Such waste should then be disposed of

according to local regulations.

# **6.4.** Reference to other sections

**Reference to other sections** : Section 7 for Handling and Storage and Section 8 for Protective

Equipment.

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Protective measures : No special protective measures are normally required

**Advice on safe handling** : Normal safe precautions for handling can be employed.

**Fire prevention** : Products are not flammable.

**Aerosol and dust generation** : Small amounts of dust may be generated if products are allowed

to abrade against each other

**Environmental precautions**: No special precautions are required.

**Advice on general occupational**: Wear protective clothing.

hygiene

prevention

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

 Both un-cut and cut products should be packed to prevent movement and abrasion during transit and to prevent absorption

of water.

Otherwise normal safe precautions for storage can be used.

To avoid damage and distortion, store on a smooth level surface, in a fully supported position off the ground and in a dry place.

Packaging materials : Card cartons.

Requirements for storage : Dry location.

Storage class : N/A.

Materials to avoid : No special requirements.

Further information on : N/A.

storage conditions

T - 01329 844500 F - 01329 844600 Page 4 W - www.astroflame.com E - sales@astroflame.com



#### 7.3. Specific end use(s)

**Specific end use(s)** : See references to dust hazards during cutting, Section 4.

# Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Control Parameters**

: Reference should be made to local and country-specific occupational exposure limits for dust and low bio-persistence mineral fibres.

UK monitoring methods can be found as follows:

MDHS 14/4 – General methods of sampling and gravimetric

analysis of thoracic and inhalable aerosols.

MDHS 59 – Machine-made fibres airborne number concentration

and classification by phase contrast light microscopy.

NIOSH 0500 – Particulates not otherwise regulated, total.

NIOSH 0600 – Particulates not otherwise regulated, respirable.

NIOSH 7400 - Asbestos and other fibres by PCM.

# 8.2. Exposure Controls

# **Exposure Controls**

Fit and use appropriate local exhaust ventilation systems for

cutting and machining operations.

Maintain a clean workspace using a vacuum cleaner.

# 9: Information on basic physical and chemical properties

# **9.1.** Information on basic physical and chemical properties

Physical State : Solid material Appearance : Formed product

Colour : Grey
Odour : N/A
Odour threshold : N/A
pH : N/A

Melting/Freezing Point : N/A but see Astroflame Technical Brochure for maximum working

temperatures.

T - 01329 844500 F - 01329 844600 Page 5 W - www.astroflame.com E - sales@astroflame.com



Boiling point : N/A
Flash point : N/A
Evaporation rate : N/A
Flammability (solid, gas) : N/A
Upper/lower flammability or : N/A

explosive limits

Upper explosive limit : N/A
Lower explosive limit : N/A
Vapour pressure : N/A
Vapour density : N/A

**Relative density** : 190 kg/m3

**Solubility** : Not soluble in water.

N/A

Partition coefficient n-octanol/:

Water

Auto-ignition temperature : N/A
Decomposition temperature : N/A
Dynamic viscosity : N/A
Kinematic viscosity : N/A
Explosive Properties : N/A
Oxidising Properties : N/A

# Section 10: Stability and reactivity

10.1. Reactivity

**Reactivity** : Stable and non-reactive.

10.2. Chemical Stability

**Chemical stability** : Stable and inert.

10.3. Possibility of hazerdous reactions

**Hazardous reactions** : None.

10.4. Conditions to avoid

**Conditions to avoid** : None.

10.5. Incompatible materials

**Incompatible Materials** : None.

10.6. Hazardous Decomposition Products

**Hazardous Decomposition Products:** None.



# Section 11: Toxicological information

# **11.1**. Information on toxicological effects

**Toxicity values** : Exposure is mainly due to low levels of dusts generated during

downstream activities such as cutting.

Low bio-persistence mineral fibres as used in these products have been developed to be quickly and effectively cleared from lung

tissues.

# Symptoms/routes of exposure

**Acute Effects** 

Acute Inhalation Toxicity : Nose and throat irritation

Skin Irritation: Mild irritation.Eye Irritation: Irritation.

**Chronic Effects** 

**Respiratory or Skin Sensitisation**: Irritation of both the respiratory tract and skin is by mechanical

means and is not the result of an allergic reaction or chemical

damage.

# Section 12: Ecological information

# 12.1. Toxicity

**Toxicity** : is insoluble in water and remains stable over time. The major

constituents are similar in their chemical composition to naturally

occurring materials and minerals.

12.2. Persistence and Degradability

Persistence and degradability : Not established

**12.3**. Bioaccumulative potential

**Bioaccumulative potential** : Not established.

12.4. Mobility in soil

**Mobility in Soil** : No information available.

12.5. Results of PBT and vPvB assessment

**PBT identification** : The product do not contain substances that are considered as

either PBT or vPvB.

T - 01329 844500 F - 01329 844600 Page 7 W - www.astroflame.com E - sales@astroflame.com



12.6. Other adverse effects

**Other adverse effects**: No other additional information available.

# Section 13: Disposal considerations

13.1. Waste treatment methods

**Product/Packaging Disposal**: Packaging can be cleaned and recycled.

Waste Treatment Options : Waste from the product may be disposed of in landfill according

to local regulations.

# Section 14: Transport information

14.1. UN Number

**UN Number** : Product is not dangerous according to current transport

regulations.

14.2. UN Proper Shipping Name

**UN Proper Shipping Name** : N/A

14.3. Transport Hazard Class(es)

Transport Hazard Class(es) : N/A

14.4. Packing Group

Packing Group : N/A

14.5. Environmental Hazards

Environmental Hazards : N/A

14.6. Special Precautions for User

**Special Precautions for User** : N/A

14.7. Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Transport in Bulk According to : N/A

Annex II of MARPOL 73/78 and the IBC

Code

T - 01329 844500 F - 01329 844600 Page 8 W - www.astroflame.com E - sales@astroflame.com



# Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU Regulations** 

: Regulation (EC) No 1907/2006, 18th December 2006, on Regulation, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Regulation (EC) No 1272/2008, 20th January 2009, on Classification, Labelling and Packaging of Substances and Mixtures (OJL 353).

The 7th Adaption of Technical Progress (ATP) to Regulation (EC) No 1272/2008 was published on 15th July 2015.

**Worker Protection** 

: In accordance with the following directives and their amendments:

Council Directive 89/391/EEC, 12th June 1989 on the Introduction of measures to encourage improvements in the health and safety of workers at work.

Council Directive 98/24/EC, 7th April 1998 on the Protection of workers from the risks related to chemical agents at work

# 15.2. Chemical safety assessment

**Chemical Safety Assessment** : Available on request

# Section 16: Other information

# **16.1**. Indication of Changes

**Indication of Changes** : All sections updated October 2016.

# **16.2**. Abbreviations and Acronyms

**Abbreviations and Acronyms** : None used.

#### 16.3. Key Literature References and Sources of Data

**Key Literature References** and Sources of Data

: See main sections.

T - 01329 844500 F - 01329 844600 Page 9 W - www.astroflame.com E - sales@astroflame.com



# 16.4. Classification for Mixtures and Used Evaluation Method According to Regulation (EC) 1207/2008 [CLP]

**Classification for Mixtures and Used:** 

See Section 2.

Evaluation Method According to Regulation (EC) 1207/2008 [CLP]

# 16.5. Relevant R-, H- and EUH Phrases (Number and Text)

Relevant R-, H- and EUH Phrases (Number and Text)

N/A

# 16.6. Training Advice

Training Advice : See Astroflame Products Technical Brochure for information on

use.

# 16.7. Further Information

**Further Information**: For further information, visit www.astroflame.com

# Other information

Legal disclaimer

: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.