

Product Data Sheet

Astro LC Loft Cone



Revision 3 - January 2019



Astro LC Loft Cone

Fire Rated Loft Cone

- F-Capped Flanged Fire Hood 30 minute fire rated.
- Tested for 50 Watt lamps.
- Tested to BS EN 60598.1 and 60598.2.2 with 50 Watt Dichroic Lamps and approved to be fully buried in insulation.
- BS 476 Part 20 : 1987
- Airtightness tested to BS EN 1026 for maximum thermal efficiency.
- Tested to BS EN 1363-1 and in accordance with BS EN 1364-2.
- Easily fitted - simply drop over light fitting and seal with mastic to form vapour seal.
- Save energy by limiting heat loss into loft space.
- Allows continuous insulation over lights.
- Fully tested to prevent overheating.
- Reduces fire risk by keeping combustibles away from hot downlight.
- Rigid and capable of supporting loft insulation away from light fitting.



Product Description

Recessed downlights are a common feature in many homes, however they also represent a potential fire hazard, especially if buried in loft insulation. Numerous house fires have been caused by the ignition of combustibles in ceiling spaces caused by hot downlights being covered with insulation.

Product Description

The Astro LC Loft Cone are designed to provide a fire resistant solution and overcome thermal and vapour transmission into loft voids when installing recessed lights. The “F-capped” Approved Loft Cone maintains sufficient space around the fitting to allow continuous insulation to be laid directly over light fittings minimising overheating or fire risk.

The durable and lightweight cones are simply placed over the light fittings to allow the safe installation of loft insulation. The Loft Cones are certified “F-capped” in accordance with relevant industry standards having been tested to both BS EN 60598.1 and BS EN 60598.2.2. In addition the Loft Cones are Fire Resistance, Flammability and Airtightness tested and are certified IP6 Dust Tight.

Dimensions: External 240mm x 180mm high. Internal 200mm x 150mm high.

Product Availability

Product Code	Product Description	External Size	Internal Size
AFLOFTCON	Astro LC Loft Cone	240x180mm	200x150mm

To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / External size / Internal size

Typical example:- 10 / AFLOFTCON / Astro LC Loft Cone / 240x180mm / 200x150mm

>> Tel: [01329 844 500](tel:01329844500) or >> Email: sales@astroflame.com

Installation

Please see installation sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)

or E: sales@astroflame.com

Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)

or E: sales@astroflame.com

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.