












# **Astro X-Series Pillow**

#### **CE Marked Intumescent Fire Pillows**

- CE Marked.
- Certifire Approved.
- Fire Pillows tested with metallic pipes, cables, cable bunches, cable trays and cable ladders.
- Fire Resistance EN 1366-3 EI 120 and BS 476 -240mins.
- Fire Classification EN13501-2.
- BS 7671-2008 Chapter 42 & 52 Electrical Installations Fire Resistance.
- Acoustic Isolation EN10140 46dB.
- Air Permeability EN1026 420Pa.
- Reaction Temperature 180°C.





## **Product Description**

X-Series Fire Pillows are designed to provide an effective fire barrier, on a temporary or permanent basis, for services which are subject to frequent changes or replacement. The fire pillows consist of a waterproof glass cloth bag containing organic fillers and intumescent additives.

Pillows can be added, removed or rearranged in an aperture to accommodate to the needs of the situation and have been tested with metallic pipes, cables, cable bunches, cable trays and cable ladders.

Tested in block wall, concrete and masonry walls and concrete floors up to  $1m^2$  area and suitable for indoor and outdoor locations pillows remain flexible between  $-20^{\circ}$ C to  $+130^{\circ}$ C.

Non-toxic, easy to install and with a 25 year lifespan.

Three sizes of X-Series fire pillow are available; please ensure that the correct pillow is installed to suit the opening size. See tables below.



Astroflame Fireseals Ltd Unit 8 The I O Centre Stephenson Road Segensworth, Fareham Hampshire, PO15 SRU 14 1121-CPR-JA5016

ETA-14/0046 ETAG 026 – Part 1 ETAG 026 – Part 2 ASTRO X SERIES PILLOWS

> "see ETA-14/0046 for relevant characteristics"



### **Product Availability**

Pillow Dimensions & Usage Guidelines

Product Code	Form Supplied	Weight Supplied	Qty Required Per m2
AFFPSASX	330x50x20mm	50gms	As Required to fill small voids
AFFPSX	330x200x25mm	185gms	180 in Wall or Floor
AFFPLX	330x200x45mm	385gms	113 in Wall or Floor

To estimate the number of fire pillow required please refer to the (TDS) Technical Data sheet, which has tables showing quantities required for a range of fire pillow and void sizes.

Available in 3 standard sizes.

Product Code	Product Description	Size
AFFPSASX	Astro X Series Pillow Sausage	330x50x20mm
AFFPSX	Astro X Series Pillow Small	330x200x25mm
AFFPLX	Astro X Series Pillow Large	330x200x45mm

### To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Size Typical example:- 10 / AFFPSASX / Astro X Series Pillow Sausage / 330x50x20mm

>> Tel: <u>01329 844 500</u> or >> Email: <u>sales@astroflame.com</u>

### Installation

Please see installation sheet - This can be requested from our sales team T: <u>01329 844 500</u> or E: <u>sales@astroflame.com</u>

# Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: <u>01329 844 500</u> or E: <u>sales@astroflame.com</u>

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.

T - 01329 844500 F - 01329 844600 Page 2 W - www.astroflame.com E - sales@astroflame.com