

according to Regulation (EC) No 1907/2006 (REACH)

Trade name: FIREHALT CUFF

Version: 1 Page 1 of 5 Revision date: 24/10/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier: FIREHALT CUFF

Use of Product: FireHalt Penetration Seal.

Details of the supplier of the safety data sheet:

Supplier: Culimeta-Saveguard Ltd

Address: Tame Valley Mill, Wainwright St, Dukinfield,

Cheshire, SK16 5NB

Information Contact: Quality Management

E-Mail (competent person) <u>rleatherbarrow@culimeta-saveguard.com</u>

Emergency Telephone No: 0161 344 2484

SECTION 2: Hazards identification

Non-Hazardous

SECTION 3: Composition/information on ingredients

A shaped cuff manufactured from treated woven glass fabric

SECTION 4: First aid measures

Inhalation: In the unlikely event of excess dust inhalation remove to fresh air.

Eye Irritation: Flush eyes with water if necessary

Skin irritation: If affected rinse with soap and running water



according to Regulation (EC) No 1907/2006 (REACH)

Trade name: FIREHALT CUFF

Version: 1 Page 2 of 5 Revision date: 24/10/2017

SECTION 5: Firefighting measures

The product is non-combustible. However, in a sustained fire, the composite will degrade over a period of time with eventual release of fumes.

Use extinguishing equipment compatible with surrounding combustible materials.

SECTION 6: Accidental release measures

Personal Precautions: Use vacuum with filter or wet before brushing

Environmental precautions: If unnaturally high glass fibre dust levels wear respiratory mask 3M 8810 or similar.

Methods of cleaning up: Prevent dust from being windblown

SECTION 7: Handling and storage

Wear gloves if necessary to protect against loose glass fibre. Store in a dry place.

SECTION 8: Exposure controls/personal protection

General dust limit 4mg/m³ Glass fibres are >6μm

Personal Protective Equipment:

Respiratory: Wear dust mask if necessary

Eye: Wear spectacles if necessary

Skin: long sleeved loose fitting clothes or overalls, barrier creams or emulsions can protect

against loose glass filaments



according to Regulation (EC) No 1907/2006 (REACH)

Trade name: FIREHALT CUFF

Version: 1 Page 3 of 5 Revision date: 24/10/2017

SECTION 9. Physical and chemical properties

Appearance: Solid, flexible

Odour: None

Flash point:

Flammability:

Autoflammability:

Explosives Properties:

None combustible

Oxidising properties

N/A Non-combustible

N/A Non-Combustible

Vapour Pressure N/A

Mass: Nominal 1.1 Kg/m

PH 2

Solubility in water: N/A Insoluble

SECTION 10. Stability and Reactivity

Stable when used as a fire cuff penetration seal.

SECTION 11. Toxicological information

No toxic effects known.

The fibres may cause mechanical irritation on eyes, skin and upper respiratory system.

SECTION 12. Ecological information

No Environmental detrimental effects known



Trade name: FIREHALT CUFF

according to Regulation (EC) No 1907/2006 (REACH)

Version: 1 SECTION 13.	Page 4 of 5 Disposal considerations	Revision date: 24/10/2017
Waste can be disposed of on regular disposal sites observing local regulations		
SECTION 14.	Transport information	
There are no spe	cial transport requirements.	
	. Regulatory information	
None Known		
SECTION 1	6. Other information	
The information when it becomes	given is based on our present knowledge available.	e. New information will be given if an